- 1. Open your browser and navigate to <u>https://mysignins.microsoft.com/security-info</u>
- 2. Enter your RVCemail address.

	Microsoft		
_	ເມື <sub>ອ</sub> ີ ແກ		
	e123@rvc.ac.uk		
	Can't access your account?		
	Sign in 🎇 🖓 a security key 🔿		
		Million	
	C Stephen war Mark	ฟกร	

3. Enter your RVC credentials and Sgn In.

🔽 🗋 Sign In 🛛 🗙 -	+ — — ×
$\leftarrow$ $ ightarrow$ $C$ $ extsf{D}$ https://adfs.projection	cuk/adfs/ls/2/lient-request-id=9c8a23d1-bb39-402e-8ddf-3₩205e134 f= Guest @
0400000	
unt The second se	Sinn inwite your organizational acc
	e123@rvcax
· · · · · · · · · · · · · · · · · · ·	
URIORIUMITIN	Sign in with usernam
18	
······································	

## 4. the MFA request if prompted.

🕫 🖬 Sign 🖓 💯 Sur account 🗙 🕂	— п <sub>—</sub> ×,,
← → C	f Guest ···
₩0/1	
Approve sign-in request	
n an	
👝 samaa Juanitaskaaaja for 14 dast 🧧 🤔 🦇 🛪	
Having trouble? <mark>Sign in another way and the second s</mark>	
More Information	

5. If this is your trusted device and you intend to use it regularly, you can choose to stay signed in and reduce the number of times you are asked to sign in. In case it is a shared device, this is not recommended.



6. On your smart phone, download and install the Microsoft Authenticator app from the Apple App Store or Google Play Store.



7. Return to the computer browser and on the

page, click on



🕑 🚦 My Sign-Ins	× +				×
C(	https://mysianins.microsoft.com/security-info			לֵי≡ (Guest @)	
					-
ecurity info —		ecur ly information		· · · ·	8,-9
Drganisations	Default sign-in method: Phone - call +44/077	Change: .	- D		ē (
	J L Devices Add	a method			
Which mathodoses (dogs (Raste		nge Delete	Privacy		



A graphods were the methods were the sign in to your account or reset your password Conganisations Microsoft Authenticator Set up your account O periods	atbods varuuse to sign in to your account or reset your assured Devices Set up your account O not		and the second se	
e are the methods you use to sign in to your account or reset, your password and a second second second and a second seco	Devices			
Corganisations  Microsoft Authenticator  Set up your account	Devices	are the methods voluise to sign in to vour an		
Set up your account	Set up your account		Crganisations	······
Set up your account	Set up your account	Microsoft Authenticator		🖵 Devices
		Set up your acco	unt	0 prive

My Sign-Ins × +	– 🗆 X
<u>, é ,                                 </u>	* <u></u>
	<u> </u>
R Overview	Microsoft Autr
engen devet.	ns
crosoft Authenticator app to scan the QR code. This will connect the Microsoft Authenticator r account.	Use the Mid app to you
	Open you'u
Gin'to	adau zanada. Astu intag <u>ez</u>
	ļ

8. Back on your smartphone, launch the Microsoft Authenticator App and

.

1:07 乡 国 参 常 雪
3
8
800

9. Using the authenticator app on your smartphone



My Signalor		×
		ଁ
		<u>`</u>
uthenticator	Corganisations Micro	osoft.A
· ·	Approve the potification we're conding to your app	
_		
	Back Next	



## 11. Olick

.



🗑 📕 My Sign-Ins 🗙 🕂	– 🗆 X
	<u> </u>
Security info	8. Overview
Security into	
These are the methods you use to sign in to your account or reset your password.	𝒫 Security info
H Organisations	····_···
Devices     H     Change default method	Ē
Change Delete A Privacy	<del></del>
	Which method would you like to use to sign in?
Delete	Microsoft Authenticator – notification
Contror	şac.

13. Now, verify that the default sign-in method is shown as

